Serial No.: 10/006,265

Filed: December 3, 2001

Page : 3 of 20

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

- 1. (Currently amended) An isolated nucleic acid comprising a nucleotide sequence encoding a protein comprising the amino acid sequence of any one of SEQ ID NO: 2, 4 and 17 SEQ ID NO: 2, 4, or 17.
- 2. (Currently amended) An isolated nucleic acid comprising a nucleotide sequence encoding the amino acid sequence of any one of SEQ ID NOs:2, 4, and 17 SEQ ID NO: 2, 4, or 17 or a fragment thereof.
 - 3. (Original) A vector into which the nucleic acid of claim 1 is inserted.
 - 4. (Original) A vector into which the nucleic acid of claim 2 is inserted.
 - 5. (Original) A transformant harboring the nucleic acid of claim 1.
 - 6. (Original) A transformant harboring the nucleic acid of claim 2.
 - 7. (Original) A transformant harboring the vector of claim 3.
 - 8. (Original) A transformant harboring the vector of claim 4.
- 9. (Withdrawn) A substantially purified polypeptide encoded by the nucleic acid of claim 1.

Serial No.: 10/006,265

Filed: December 3, 2001

Page : 4 of 20

10. (Withdrawn) A substantially purified polypeptide encoded by the nucleic acid of claim 2.

- 11. (Withdrawn) A method for producing a polypeptide, the method comprising the steps of culturing the transformant of claim 5 and recovering a polypeptide expressed from the transformant or the culture supernatant thereof.
- 12. (Withdrawn) A method for producing a polypeptide, the method comprising the steps of culturing the transformant of claim 6 and recovering a polypeptide expressed from the transformant or the culture supernatant thereof.
- 13. (Withdrawn) A method for screening for a compound that binds to a polypeptide, the method comprising the steps of:
- (a) contacting a test sample with the polypeptide of claim 9 or a partial peptide thereof,
- (b) detecting a binding activity of the test sample to the polypeptide or the partial peptide thereof, and
- (c) selecting a compound comprising the binding activity to the polypeptide or the partial peptide thereof.
- 14. (Withdrawn) A method for screening for a compound that binds to a polypeptide, the method comprising the steps of:
- (a) contacting a test sample with the polypeptide of claim 10 or a partial peptide thereof,
- (b) detecting a binding activity of the test sample to the polypeptide or the partial peptide thereof, and
- (c) selecting a compound comprising the binding activity to the polypeptide or the partial peptide thereof.

Serial No.: 10/006,265

Filed: December 3, 2001

Page : 5 of 20

15. (Withdrawn) An antibody against the polypeptide of claim 9.

- 16. (Withdrawn) An antibody against the polypeptide of claim 10.
- 17. (Withdrawn) A method of detecting a hemopoietin receptor protein in a test sample, comprising the steps of: contacting a test sample with the antibody of claim 15; and detecting the presence of an immune complex between the antibody and a hemopoietin receptor protein in the test sample.
- 18. (Withdrawn) A method of detecting a hemopoietin receptor protein in a test sample, comprising the steps of: contacting a test sample with the antibody of claim 16; and detecting the presence of an immune complex between the antibody and a hemopoietin receptor protein in the test sample.
- 19. (Withdrawn) A polynucleotide that hybridizes with the nucleic acid comprising the nucleotide sequence of any one of SEQ ID NOs:1, 3 or 16 or the complementary strand thereof and that comprises at least 15 nucleotides.
- 20. (Currently amended) An isolated nucleic acid comprising [[a]] the coding region of the nucleotide sequence of any one of SEQ ID NOs:1, 3, and 16 SEQ ID NO: 1, 3, or 16.
- 21. (Previously presented) A vector into which the nucleic acid of claim 20 is inserted.
 - 22. (Previously presented) A transformant harboring the nucleic acid of claim 20.
 - 23. (Previously presented) A transformant harboring the vector of claim 21.

Serial No.: 10/006,265 Filed: December 3, 2001

Page : 6 of 20

24. (Currently amended) An isolated nucleic acid comprising a nucleotide sequence encoding a protein that comprises the amino acid sequence of any one of SEQ ID NOs:2, 4, and 17 SEQ ID NO: 2, 4, or 17, with a single amino acid replacement, deletion, insertion, or addition, wherein the protein binds to a hematopoietin factor.

- 25. (Previously presented) A vector into which the nucleic acid of claim 24 is inserted.
 - 26. (Previously presented) A transformant harboring the nucleic acid of claim 24.
 - 27. (Previously presented) A transformant harboring the vector of claim 25.
- 28. (Previously presented) A method for producing a polypeptide, the method comprising the steps of culturing the transformant of claim 22 and recovering a polypeptide expressed from the transformant or the culture supernatant thereof.
- 29. (Previously presented) A method for producing a polypeptide, the method comprising the steps of culturing the transformant of claim 26 and recovering a polypeptide expressed from the transformant or the culture supernatant thereof.
- 30. (Previously presented) A method for producing a polypeptide, the method comprising the steps of culturing the transformant of claim 23 and recovering a polypeptide expressed from the transformant or the culture supernatant thereof.
- 31. (Previously presented) A method for producing a polypeptide, the method comprising the steps of culturing the transformant of claim 27 and recovering a polypeptide expressed from the transformant or the culture supernatant thereof.